

BLS-ALS Radio Log

Pt. label

Date/Time of Call Nov 05, 2018 16:56:53							
EMS SERVICE: ☐ JCA ☐ LCA ☐ Lansing/Mason ☐ Stockbridge ☐ Somerset ☐ Addison ☐ State Amb (MDOC)							
UNIT # Coming from Other Ground Service ☐ Survival Flight Other Air Service:							
PT INFO: Age: Gender: ☐ M ☐ F				Med Hx:			
Chief Complaint:				☐ Coumadin ☐ Plavix ☐ Effient ☐ Pradaxa ☐ Xarelto			
☐ Pain ☐ Deformity ☐ Bleeding ☐ Dyspnea ☐ Weakness ☐ +LOC				☐ Other anticoagulant:			
BP	Pulse	RR	Pulse Ox% - O2 running?	LOC	GCS	Glucose	Temp
ANGIOPLASTY (CARDIAC) ACTIVATION: ☐ Yes ☐ No ST elevation EKG Rhythm							
NEURO-STROKE ACTIVATION: ☐ Yes ☐ No CVA - Onset < 4.5 Hours							
PEDIATRIC RESPONSE TEAM (Non-Trauma): ☐ Yes ☐ No Pt. Weight							
EMS INTERVENTION/Med Control Orders:							
Physician Signature							
TRAUMA ACTIVATION: ☐ Yes ☐ No (Pt meeting any criteria below activates by RN at assoc. level - without delay)							
☐ ALPHA ALERT - LEVEL 1 Activation				☐ BRAVO ALERT - Level 2 Activation			
VS & LOC:				High Energy Mechanism of Injury			
☐ Traumatic arrest				☐ Auto pedestrian or bicyclist thrown, run over, or significant impact >20mph			
☐ SBP <90 mmHg (confirmed) at any time				☐ Burns >10% TBSA (2nd & 3rd degree combined)			
☐ Resp or Airway Compromise, RR <10 or >29, Labored Resp/Airway obstruction/Facial neck injury injury w/Airway compromise, Inhalation injury w/Hypoxia, or ETT				☐ Fall >15 feet (For Peds, 2.5 x their height in ft)			
☐ Significant head trauma - GCS <10				☐ High risk auto crash			
☐ Hangings who meet any of the 4 criteria above				☐ Ejection, partial or complete, from auto			
☐ Deterioration - previously stable pt, now with any of above				☐ Death in same passenger compartment			
Anatomical:				☐ Intrusion of >12" occupant site, or >18" any site			
☐ Major penetrating injury to head, neck, chest, ab-groin or axilla, or below groin or shoulder w/hard signs arterial injury (active arterial bleed, expanding hematoma, or absent pulse)				☐ Rollover w/ suspicion significant injury			
☐ Spinal Cord Injury w/acute paraplegia/ quadriplegia				☐ Motorcycle crash >20mph or significant separation from vehicle			
☐ Limb threatening injury at or above ankle or waist				Anatomic Factors			
☐ Partial or complete amputation				☐ Significant head injury - GCS 10-13			
☐ Crushed, degloved, ischemic, or mangled extremity				☐ Four or more adjacent rib fxs			
☐ Significant blunt trauma				☐ SQ emphysema			
☐ Unstable pelvic fx w/ hypotension				☐ Blunt abdominal trauma with positive FAST exam			
☐ Two or more proximal long bone fxs				☐ Complex Ortho injuries: e.g. Open fxs (excluding digits), knee dislocation (excluding patella), >1 fracture site			
☐ Flail chest w/ paradoxical chest wall motion				☐ Stab or GSW to extremity, distal to groin or shoulder, above ankle or wrist, w/stable VS			
☐ Open or depressed skull fx				☐ Pelvic fx/Open-Book/ Acetabular Fx - Hemodynamically stable (excluding isolated pubic ramus fx or iliac wing fx)			
☐ Burns >20% TBSA (2nd & 3rd degree burns combined)				☐ Major laceration to torso involving fascia			
☐ High voltage electrical injury >1000 volts or lightning strike				☐ Neurologic deficit without paraplegia/quadruplegia			
☐ Transfer in w/blood running to maintain BP				Other:			
☐ ED Attending Physician Discretion to Upgrade to Alpha				☐ Anticoagulated or Bleeding disorder w/ injury to head, chest or abd			
				☐ Pregnancy >20 wks w/ MVC or other significant mechanism			
				☐ ED Attending Discretion to Upgrade to Bravo			
Comments:							
ETA:		Room:		Call taken by:			